

Disclaimer

- There are no binding instructions acc. to the general arrangement from PERI in this offer drawing. The offer drawing is not sufficient for the use on-site; Therefore a general arrangement drawing is required.
- This formwork suggestion does not replace the use of Assembly Instructions, in terms of the necessary safety measures.
- Stopend formworks, working scaffoldings and bracings are possibly not part of the offer and have to be supplied by client.
- The standard section illustrates a possible variant for safe use of the system shown.
- This PERI formwork is designed for a maximum number concrete pressure of 60 kN/m².

The corresponding assembly instruction must be observed!

PERI®

PERI SE

89264 Weißenhorn

Tel. +49 (0)7309-950-0

1.NP Bila Vana - Brno Hrazni


Czech Republic

Motyčka, Tomáš

DOMINO 250

5/26/2022

DOMINO Standard Section H=375 (250+100+25)



Disclaimer

- There are no binding instructions acc. to the general arrangement from PERI in this offer drawing. The offer drawing is not sufficient for the use on-site; Therefore a general arrangement drawing is required.
- This formwork suggestion does not replace the use of Assembly Instructions, in terms of the necessary safety measures.
- Stopend formworks, working scaffoldings and bracings are possibly not part of the offer and have to be supplied by client.
- The standard section illustrates a possible variant for safe use of the system shown.
- This PERI formwork is designed for a maximum number concrete pressure of 60 kN/m².


The corresponding assembly instruction must be observed!



PERI SE
89264 Weißenhorn
Tel. +49 (0)7309-950-0

1.NP Bila Vana - Brno Hrazni

Czech Republic
Motyčka, Tomáš
DOMINO 250
5/26/2022



Disclaimer

- There are no binding instructions acc. to the general arrangement from PERI in this offer drawing. The offer drawing is not sufficient for the use on-site; Therefore a general arrangement drawing is required.
- This formwork suggestion does not replace the use of Assembly Instructions, in terms of the necessary safety measures.
- Stopend formworks, working scaffoldings and bracings are possibly not part of the offer and have to be supplied by client.
- The standard section illustrates a possible variant for safe use of the system shown.
- This PERI formwork is designed for a maximum number concrete pressure of 60 kN/m².


The corresponding assembly instruction must be observed!



PERI SE
89264 Weißenhorn
Tel. +49 (0)7309-950-0

1.NP Bila Vana - Brno Hrazni

Czech Republic
Motyčka, Tomáš
DOMINO 250
5/26/2022



Disclaimer

- There are no binding instructions acc. to the general arrangement from PERI in this offer drawing. The offer drawing is not sufficient for the use on-site; Therefore a general arrangement drawing is required.
- This formwork suggestion does not replace the use of Assembly Instructions, in terms of the necessary safety measures.
- Stopend formworks, working scaffoldings and bracings are possibly not part of the offer and have to be supplied by client.
- The standard section illustrates a possible variant for safe use of the system shown.
- This PERI formwork is designed for a maximum number concrete pressure of 60 kN/m².

The corresponding assembly instruction must be observed!























PERI SE
89264 Weißenhorn
Tel. +49 (0)7309-950-0

1.NP Bila Vana - Brno Hrazni

Czech Republic
Motyčka, Tomáš
DOMINO 250









5/26/2022

| | | 1 | Maximum Pcs. | Correction Pcs. | Sum | Weight |
|---|---|------|-----------------|--------------------|------|-------------|
|  | DOM. INS. STEEL CORNER DISE 150 Article Number 126286 40.80 kg 0.750 m ² | 14 | 14 | 0 | 14 | 571.20 kg |
|  | DOM. INS. STEEL CORNER DISE 250 Article Number 126242 67.20 kg 1.250 m ² | 14 | 14 | 0 | 14 | 940.80 kg |
|  | DOMINO PANEL D 125X75 Article Number 066041 38.70 kg 0.938 m ² | 8 | 8 | 0 | 8 | 309.60 kg |
|  | DOMINO PANEL D 150X 25 Article Number 124523 22.70 kg 0.375 m ² | 12 | 12 | 0 | 12 | 272.40 kg |
|  | DOMINO PANEL D 150X 50 Article Number 124510 34.20 kg 0.750 m ² | 34 | 34 | 0 | 34 | 1162.80 kg |
|  | DOMINO PANEL D 150X100 Article Number 124498 56.50 kg 1.500 m ² | 252 | 252 | 0 | 252 | 14238.00 kg |
|  | DOMINO PANEL D 250X100 Article Number 066020 87.50 kg 2.500 m ² | 252 | 252 | 0 | 252 | 22050.00 kg |
|  | DOMINO PANEL D 250X25 Article Number 066026 37.50 kg 0.625 m ² | 12 | 12 | 0 | 12 | 450.00 kg |
|  | DOMINO PANEL D 250X50 Article Number 066025 54.20 kg 1.250 m ² | 34 | 34 | 0 | 34 | 1842.80 kg |
|  | DOMINO PANEL D 250X75 Article Number 066022 71.40 kg 1.875 m ² | 8 | 8 | 0 | 8 | 571.20 kg |
|  | DOMINO W.T.C. DWD 150/5 Article Number 125944 4.76 kg 0.075 m ² | 30 | 30 | 0 | 30 | 142.80 kg |
|  | DOMINO W.T.C. DWD 250/5 Article Number 066030 7.80 kg 0.125 m ² | 30 | 30 | 0 | 30 | 234.00 kg |
|  | DOMINO ALIGNMENT COUPLER DRS Article Number 066080 3.94 kg | 1954 | 1954 | 0 | 1954 | 7698.76 kg |

| | | 1 | Maximum Pcs. | Correction Pcs. | Sum | Weight |
|--|---|------|-----------------|--------------------|------|------------|
|  | DOMINO COMPENSATION WALER DAR Article Number 066084 8.51 kg | 74 | 74 | 0 | 74 | 629.74 kg |
|  | DOMINO EXTERNAL CORNER DAW 150 Article Number 124608 6.49 kg | 14 | 14 | 0 | 14 | 90.86 kg |
|  | DOMINO EXTERNAL CORNER DAW 250 Article Number 066028 10.50 kg | 14 | 14 | 0 | 14 | 147.00 kg |
|  | DOMINO STOPEND TIE-2 DSA Article Number 110406 2.10 kg | 20 | 20 | 0 | 20 | 42.00 kg |
|  | DOMINO TIE HOLDER DAH Article Number 066086 1.11 kg | 20 | 20 | 0 | 20 | 22.20 kg |
|  | DYWIDAG TIE ROD DW15 0.85M Article Number 030010 1.23 kg | 610 | 610 | 0 | 610 | 750.30 kg |
|  | WINGNUT PIVOT PLATE DW15 GALV Article Number 030370 1.66 kg | 1242 | 1242 | 0 | 1242 | 2061.72 kg |
| | Filler timber Width: 50 mm, Depth: 96 mm, Height: 4000 mm Surface: 0.200 m² | 4 | 4 | 0 | 4 | |
| | Filler timber Width: 100 mm, Depth: 117 mm, Height: 4000 mm Surface: 0.400 m² | 10 | 10 | 0 | 10 | |
| | Filler timber Width: 25 mm, Depth: 117 mm, Height: 4000 mm Surface: 0.100 m² | 4 | 4 | 0 | 4 | |
| | Filler timber Width: 50 mm, Depth: 100 mm, Height: 4000 mm | 4 | 4 | 0 | 4 | |
| | Filler timber Width: 30 mm, Depth: 50 mm, Height: 300 mm | 4 | 4 | 0 | 4 | |
| | Filler timber Width: 80 mm, Depth: 40 mm, Height: 200 mm | 2 | 2 | 0 | 2 | |

Parts list



| | | 1 | Maximum Pcs. | Correction Pcs. | Sum | Weight |
|--|--|-----|-----------------|--|---|------------|
| | Plywood Thickness: 21 mm, Width: 200 mm, Height: 4000 mm Surface: 0.800 m ² | 2 | 2 | 0 | 2 | |
| | Plywood Thickness: 21 mm, Width: 300 mm, Height: 4000 mm | 2 | 2 | 0 | 2 | |
|  | ANCHOR BOLT PERI 14/20X130 Article Number 124777 0.21 kg | 96 | 96 | 0 | 96 | 20.16 kg |
|  | BASE PLATE-3 F. RS 210-1400 Article Number 126666 3.04 kg | 96 | 96 | 0 | 96 | 291.84 kg |
|  | BRACE CONNECTOR DRA-2 Article Number 127628 1.13 kg | 192 | 192 | 0 | 192 | 216.96 kg |
|  | DOMINO SCAFFOLD BRACKET DG85 Article Number 066085 6.90 kg | 116 | 116 | 0 | 116 | 800.40 kg |
|  | GUARDRAIL POST HSGP-2 Article Number 116292 4.72 kg | 232 | 232 | 0 | 232 | 1095.04 kg |
|  | HANDRAIL POST HOLDER DOMINO Article Number 106877 2.74 kg | 116 | 116 | 0 | 116 | 317.84 kg |
|  | PUSH-PULL PROP RS 210, GALV. Article Number 117466 10.60 kg | 96 | 96 | 0 | 96 | 1017.60 kg |
|  | PUSH-PULL PROP RS 300, GALV. Article Number 117467 15.50 kg | 96 | 96 | 0 | 96 | 1488.00 kg |
| | | | | Count of pieces: Total weight: Total area: | 5720 Pcs. 59476.02 kg 1151.300 m ² | |




PERI SE
89264 Weißenhorn
Tel. +49 (0)7309-950-0

1.NP Bila Vana - Brno Hrazni

Czech Republic
Motyčka, Tomáš
DOMINO 250

5/26/2022



- There are no binding instructions acc. to the general arrangement from PERI in this offer drawing. The offer drawing is not sufficient for the use on-site; Therefore a general arrangement drawing is required.
- This formwork suggestion does not replace the use of Assembly Instructions, in terms of the necessary safety measures.
- Stopend formworks, working scaffoldings and bracings are possibly not part of the offer and have to be supplied by client.
- The standard section illustrates a possible variant for safe use of the system shown.
- This PERI formwork is designed for a maximum number concrete pressure of 60 kN/m².


The corresponding assembly instruction must be observed!



Czech Republic
Motyčka, Tomáš
DOMINO 250

5/26/2022

DOMINO Standard Section H=375 (250+100+25)



Disclaimer

- There are no binding instructions acc. to the general arrangement from PERI in this offer drawing. The offer drawing is not sufficient for the use on-site; Therefore a general arrangement drawing is required.
- This formwork suggestion does not replace the use of Assembly Instructions, in terms of the necessary safety measures.
- Stopend formworks, working scaffoldings and bracings are possibly not part of the offer and have to be supplied by client.
- The standard section illustrates a possible variant for safe use of the system shown.
- This PERI formwork is designed for a maximum number concrete pressure of 60 kN/m².


The corresponding assembly instruction must be observed!



PERI SE
89264 Weißenhorn
Tel. +49 (0)7309-950-0

2.NP Bila Vana - Brno Hrazni

Czech Republic
Motyčka, Tomáš
DOMINO 250
5/26/2022



Disclaimer

- There are no binding instructions acc. to the general arrangement from PERI in this offer drawing. The offer drawing is not sufficient for the use on-site; Therefore a general arrangement drawing is required.
- This formwork suggestion does not replace the use of Assembly Instructions, in terms of the necessary safety measures.
- Stopend formworks, working scaffoldings and bracings are possibly not part of the offer and have to be supplied by client.
- The standard section illustrates a possible variant for safe use of the system shown.
- This PERI formwork is designed for a maximum number concrete pressure of 60 kN/m².


The corresponding assembly instruction must be observed!



PERI SE
89264 Weißenhorn
Tel. +49 (0)7309-950-0

2.NP Bila Vana - Brno Hrazni

Czech Republic
Motyčka, Tomáš
DOMINO 250
5/26/2022



Disclaimer

- There are no binding instructions acc. to the general arrangement from PERI in this offer drawing. The offer drawing is not sufficient for the use on-site; Therefore a general arrangement drawing is required.
- This formwork suggestion does not replace the use of Assembly Instructions, in terms of the necessary safety measures.
- Stopend formworks, working scaffoldings and bracings are possibly not part of the offer and have to be supplied by client.
- The standard section illustrates a possible variant for safe use of the system shown.
- This PERI formwork is designed for a maximum number concrete pressure of 60 kN/m².














The corresponding assembly instruction must be observed!










PERI SE
89264 Weißenhorn
Tel. +49 (0)7309-950-0

2.NP Bila Vana - Brno Hrazni









Czech Republic
Motyčka, Tomáš
DOMINO 250
5/26/2022

| | | 1 | Maximum Pcs. | Correction Pcs. | Sum | Weight |
|---|---|------|-----------------|--------------------|------|-------------|
|  | DOM. INS. STEEL CORNER DISE 150 Article Number 126286 40.80 kg 0.750 m ² | 7 | 7 | 0 | 7 | 285.60 kg |
|  | DOM. INS. STEEL CORNER DISE 250 Article Number 126242 67.20 kg 1.250 m ² | 7 | 7 | 0 | 7 | 470.40 kg |
|  | DOMINO PANEL D 150X 25 Article Number 124523 22.70 kg 0.375 m ² | 4 | 4 | 0 | 4 | 90.80 kg |
|  | DOMINO PANEL D 150X 50 Article Number 124510 34.20 kg 0.750 m ² | 20 | 20 | 0 | 20 | 684.00 kg |
|  | DOMINO PANEL D 150X 75 Article Number 124504 46.10 kg 1.125 m ² | 2 | 2 | 0 | 2 | 92.20 kg |
|  | DOMINO PANEL D 150X100 Article Number 124498 56.50 kg 1.500 m ² | 168 | 168 | 0 | 168 | 9492.00 kg |
|  | DOMINO PANEL D 250X100 Article Number 066020 87.50 kg 2.500 m ² | 168 | 168 | 0 | 168 | 14700.00 kg |
|  | DOMINO PANEL D 250X25 Article Number 066026 37.50 kg 0.625 m ² | 4 | 4 | 0 | 4 | 150.00 kg |
|  | DOMINO PANEL D 250X50 Article Number 066025 54.20 kg 1.250 m ² | 20 | 20 | 0 | 20 | 1084.00 kg |
|  | DOMINO PANEL D 250X75 Article Number 066022 71.40 kg 1.875 m ² | 2 | 2 | 0 | 2 | 142.80 kg |
|  | DOMINO W.T.C. DWD 150/5 Article Number 125944 4.76 kg 0.075 m ² | 16 | 16 | 0 | 16 | 76.16 kg |
|  | DOMINO W.T.C. DWD 250/5 Article Number 066030 7.80 kg 0.125 m ² | 16 | 16 | 0 | 16 | 124.80 kg |
|  | DOMINO ALIGNMENT COUPLER DRS Article Number 066080 3.94 kg | 1216 | 1216 | 0 | 1216 | 4791.04 kg |

| | | 1 | Maximum Pcs. | Correction Pcs. | Sum | Weight |
|--|---|-----|-----------------|--------------------|-----|------------|
|  | DOMINO COMPENSATION WALER DAR Article Number 066084 8.51 kg | 38 | 38 | 0 | 38 | 323.38 kg |
|  | DOMINO EXTERNAL CORNER DAW 150 Article Number 124608 6.49 kg | 7 | 7 | 0 | 7 | 45.43 kg |
|  | DOMINO EXTERNAL CORNER DAW 250 Article Number 066028 10.50 kg | 7 | 7 | 0 | 7 | 73.50 kg |
|  | DOMINO STOPEND TIE-2 DSA Article Number 110406 2.10 kg | 20 | 20 | 0 | 20 | 42.00 kg |
|  | DOMINO TIE HOLDER DAH Article Number 066086 1.11 kg | 20 | 20 | 0 | 20 | 22.20 kg |
|  | DYWIDAG TIE ROD DW15 0.85M Article Number 030010 1.23 kg | 394 | 394 | 0 | 394 | 484.62 kg |
|  | WINGNUT PIVOT PLATE DW15 GALV Article Number 030370 1.66 kg | 808 | 808 | 0 | 808 | 1341.28 kg |
| | Filler timber Width: 100 mm, Depth: 117 mm, Height: 4000 mm Surface: 0.400 m² | 5 | 5 | 0 | 5 | |
| | Filler timber Width: 75 mm, Depth: 117 mm, Height: 4000 mm Surface: 0.300 m² | 4 | 4 | 0 | 4 | |
| | Filler timber Width: 50 mm, Depth: 100 mm, Height: 4000 mm | 2 | 2 | 0 | 2 | |
| | Filler timber Width: 50 mm, Depth: 104 mm, Height: 4000 mm | 2 | 2 | 0 | 2 | |
| | Filler timber Width: 30 mm, Depth: 50 mm, Height: 300 mm | 2 | 2 | 0 | 2 | |
| | Filler timber Width: 80 mm, Depth: 40 mm, Height: 200 mm | 2 | 2 | 0 | 2 | |
| | Plywood Thickness: 21 mm, Width: 300 mm, Height: 4000 mm | 2 | 2 | 0 | 2 | |

Parts list



| | | 1 | Maximum Pcs. | Correction Pcs. | Sum | Weight |
|--|---|-----|-----------------|--|--|-----------|
|  | ANCHOR BOLT PERI 14/20X130 Article Number 124777 0.21 kg | 62 | 62 | 0 | 62 | 13.02 kg |
|  | BASE PLATE-3 F. RS 210-1400 Article Number 126666 3.04 kg | 62 | 62 | 0 | 62 | 188.48 kg |
|  | BRACE CONNECTOR DRA-2 Article Number 127628 1.13 kg | 124 | 124 | 0 | 124 | 140.12 kg |
|  | DOMINO SCAFFOLD BRACKET DG85 Article Number 066085 6.90 kg | 76 | 76 | 0 | 76 | 524.40 kg |
|  | GUARDRAIL POST HSGP-2 Article Number 116292 4.72 kg | 152 | 152 | 0 | 152 | 717.44 kg |
|  | HANDRAIL POST HOLDER DOMINO Article Number 106877 2.74 kg | 76 | 76 | 0 | 76 | 208.24 kg |
|  | PUSH-PULL PROP RS 210, GALV. Article Number 117466 10.60 kg | 62 | 62 | 0 | 62 | 657.20 kg |
|  | PUSH-PULL PROP RS 300, GALV. Article Number 117467 15.50 kg | 62 | 62 | 0 | 62 | 961.00 kg |
| | | | | Count of pieces: Total weight: Total area: | 3639 Pcs. 37926.11 kg 742.400 m ² | |



PERI SE
89264 Weißenhorn
Tel. +49 (0)7309-950-0

2.NP Bila Vana - Brno Hrazni

Czech Republic
Motyčka, Tomáš
DOMINO 250
5/26/2022